














Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	Silent-db20 Rohre in Stangen zu 3 m		310.058	110/56			Silent-db20 Bogen 15°	
305.000	56		310.068	110/63		305.150	56	
306.000	63		310.078	110/75		306.150	63	
307.000	75		310.088	110/90		307.150	75	
308.000	90		310.108	110/110		308.150	90	
310.000	110		312.108	135/110		310.150	110	
312.000	135		312.128	135/135		312.150	135	
315.001	160		315.108	160/110		315.150	160	
	Silent-db20 Abzweig 45°			Silent-db20 Bogen-abzweiger 88,5°			Silent-db20 Bogen 30°	
305.054	56/56		308.089	90/90		305.300	56	
306.054	63/56		310.088	110/90		306.300	63	
306.064	63/63		310.108	110/110		307.300	75	
307.054	75/56			Silent-db20 Doppel-abzweiger 88,5°/180°		308.300	90	
307.064	75/63		308.082	90/90		310.300	110	
307.074	75/75		310.102	110/110		312.300	135	
308.054	90/56			Silent-db20 Eckabzweiger 88,5°/90°		315.300	160	
308.064	90/63		308.083	90/90			Silent-db20 Bogen 45°	
308.074	90/75		310.083	110/110		305.450	56	
308.084	90/90			Silent-db20 Parallelabzweiger		306.450	63	
310.054	110/56		308.081	90/90		307.450	75	
310.064	110/63		310.081	110/90		308.450	90	
310.074	110/75		310.101	110/110		310.450	110	
310.084	110/90		310.101	110/110		312.450	135	
310.104	110/110			Silent-db20 Abzweig 88,5°		315.450	160	
312.104	135/110		305.058	56/56			Silent-db20 Bogen 45° lang	
312.124	135/135		306.058	63/56		308.014	90	
315.104	160/110		306.068	63/63		310.014	110	
	Silent-db20 Abzweig 88,5°		307.058	75/56		312.014	135	
305.058	56/56		307.068	75/63			Silent-db20 Apparate Anschlusswinkel 90°	
306.058	63/56		307.078	75/75		305.904	56/50	
306.068	63/63		308.058	90/56		305.905	56/56	
307.058	75/56		308.068	90/63		305.906	56/63	
307.068	75/63		308.078	90/75				
307.078	75/75		308.088	90/90				
308.058	90/56							
308.068	90/63							
308.078	90/75							
308.088	90/90							

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	Silent-db20 Bogen 67°			Silent-db20 Putzstück 88,5°			Silent-db20 Doppelsteck- und Fixmuffe	
305.670	56		307.333	75		305.002	56	
307.670	75		310.334	110		306.002	63	
308.670	90		312.333	135		307.002	75	
310.670	110					308.002	90	
						310.002	110	
						312.002	135	
						315.002	160	
	Silent-db20 Bogen 88,5°			Silent-db20 Schachtabzweig mit Innenradius, rechts			Silent-db20 Langmuffe	
305.880	56		310.171	110/110/75		307.012	75	
306.880	63		310.871	110/90/75		308.012	90	
307.880	75					310.012	110	
308.880	90			Silent-db20 Schachtabzweig mit Innenradius, links		312.012	135	
310.880	110		310.172	110/110/75		315.012	160	
312.880	135		310.872	110/90/75				
	Silent-db20 Bogen 88,5°			Silent-db20 Kombiabzweig			Silent-db20 Spannbride	
315.885	160		308.811	90/90/56		305.003	56	
			310.811	110/90/56		359.428	63	
			310.813	110/110/56		307.003	75	
						308.003	90	
				Silent-db20 Kombibogeneckabzweig links		310.003	110	
			308.817	90/90/56		312.003	135	
			310.817	110/90/56		315.003	160	
			310.117	110/110/56				
	Silent-db20 Reduktion exzentrisch			Silent-db20 Kombibogeneckabzweig rechts			Silent-db20 Elektromuffe	
306.050	63/56		308.815	90/90/56		363.771	56	
307.050	75/56		310.815	110/90/56		364.771	63	
307.060	75/63		310.115	110/110/56		365.771	75	
308.050	90/56					366.771	90	
308.060	90/63					367.771	110	
308.070	90/75					312.771	135	
310.050	110/56					369.771	160	
310.060	110/63							
310.070	110/75							
310.080	110/90							
312.100	135/110							
312.125	135/125							
315.100	160/110							
315.126	160/135							

Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl	Art.-Nr.	Dimension	Anzahl
	Silent-db20 Apparate-Übergangsstück			Grundplatten-Dämmset			Geberit Isol Flex Rohrzuschnitt	
305.040	Silent-db20/ Steckmuffe 50		359.145	M10		356.010	56/63	
			359.146	1/2"		356.011	75	
						356.012	90	
						356.013	110	
						356.014	125/135	
	Silent-db20 Enddeckel			Gewindestange M10			Rohrbelüftungsventil	
305.005	56		362.836	50 cm		310.007		
307.005	75							
308.005	90			Silent-db20 Körperschall- Schutzschlauch, 5 mm stark, Rolle zu 15 m				
310.005	110		305.921	56/63				
312.005	135		306.921	63/75				
			307.921	75/90				
			308.921	90/110				
			310.921	110/135				
			312.921	135				
	Silent-db20 Enddeckel							
315.005	160							
	Silent-db20 Universal- rohrschelle mit Dämm- einlage M10/ 1/2"			Silent-db20 Körper- schall-Schutzbandage, 3 mm, Rolle zu 3,6 m				
305.812	56		300.007					
306.812	63							
307.812	75			Brandschutzmanschette RS90Plus EN				
308.812	90		348.300	40-56				
310.812	110		348.301	63-75				
312.812	125		348.302	90				
312.813	135		348.303	110				
315.812	160		348.304	125/135				
315.813	178		348.305	160				
	Befestigungsplatte 40 × 120 mm			Geberit Isol Flex Schalldämmmatte 78 × 118 cm				
362.837	M10		356.016					
363.839	1/2"							
362.828	1"							